

E.A.R.-CERTIFICATE

(Article 11 of the REGULATION (EU) 2017/745 on Medical Devices)

ref. no.: PMM 1880-2021

Order No.: DK 1556-2021

date: 07/07/2021

Manufacturer:

Facilities:

Models:

G. ELKAYAM
C.E.O.

Obelis s.a. - O.E.A.R.C.

Registered Address :
Bld Général Wahis 53
1030 Bruxelles

Tél. +32 2 732 59 54 - Fax +32 2 732 60 03

Mr. G. Elkayam CEO

Obelis sa



Obelis European Authorized Representative Center is a member of the European Association of Authorized Representatives (E.A.A.R.), ISO 9001 : 2015 and ISO 13485 : 2016 certified.

* This is not a CE mark and is only provided as a template for informational purposes.



ANNEX to MDR EAR Certificate

Order No.: DK 1556-2021

Reference No.: PMM 1880-2021

Manufacturer: PREVEST DENPRO LIMITED

Country: India

	GMDN/ EMDN	Generic device name (including BASIC UDI)	Commercial Name of device	Intended use	Class	Rule	Legacy (Y/N)	Mandated (Y/N)	Mandate starting date	Mandated Vigilance (Y/N)
1	35875	Restorative Materials ++D967RMTF0797	Magma NT Refill Pack 4g	Direct restoration and permanent filling dental cavities. It is indicated for direct filling of class I, II, III, IV and V Cavities in anterior and posterior teeth. Preventive resin restoration and repair of composite / ceramic veneers	Ila	8	Y	N	N/A	Y
2	35876		Magma NT Intro Kit 4x4g	Direct restoration and permanent filling dental cavities. It is indicated for direct filling of class I, II, III, IV and V Cavities in anterior and posterior teeth. Preventive resin restoration and repair of composite / ceramic veneers	Ila	8	Y	N	N/A	Y
3	35876		Magma NT Master Kit 7x4g	Direct restoration and permanent filling dental cavities. It is indicated for direct filling of class I, II, III, IV and V Cavities in anterior and posterior teeth. Preventive resin restoration and repair of composite / ceramic veneers	Ila	8	Y	N	N/A	Y
4	35875		Magma NT Unit Dose Compules 20x0.25g	Direct restoration and permanent filling dental cavities. It is indicated for direct filling of class I, II, III, IV and V Cavities in anterior and posterior teeth. Preventive resin restoration and repair of composite / ceramic veneers	Ila	8	Y	N	N/A	Y

5	35875	Fusion Universal Composite Refill Pack 4g	Direct restoration and permanent filling dental cavities. It is indicated for direct filling of class I, II, III, IV and V Cavities in anterior and posterior teeth. Preventive resin restoration and repair of composite / ceramic veneers	Ila	8	Y	N	N/A	Y
6	35875	Octolight Composite 1x4g A1	Direct restoration and permanent filling dental cavities. It is indicated for direct filling of class I, II, III, IV and V Cavities in anterior and posterior teeth. Preventive resin restoration and repair of composite / ceramic veneers	Ila	8	Y	N	N/A	Y
7	35875	Octolight Composite 1x4g A2	Direct restoration and permanent filling dental cavities. It is indicated for direct filling of class I, II, III, IV and V Cavities in anterior and posterior teeth. Preventive resin restoration and repair of composite / ceramic veneers	Ila	8	Y	N	N/A	Y
8	35875	Octolight Composite 1x4g A3	Direct restoration and permanent filling dental cavities. It is indicated for direct filling of class I, II, III, IV and V Cavities in anterior and posterior teeth. Preventive resin restoration and repair of composite / ceramic veneers	Ila	8	Y	N	N/A	Y
9	35875	Octolight Composite 1x4g A3.5	Direct restoration and permanent filling dental cavities. It is indicated for direct filling of class I, II, III, IV and V Cavities in anterior and posterior teeth. Preventive resin restoration and repair of composite / ceramic veneers	Ila	8	Y	N	N/A	Y
10	35875	Fusion Universal Composite Intro Kit 4x4g	Direct restoration and permanent filling dental cavities. It is indicated for direct filling of class I, II, III, IV and V Cavities in anterior and posterior teeth. Preventive resin restoration and repair of composite / ceramic veneers	Ila	8	Y	N	N/A	Y

11	35876	Fusion Universal Composite Master Kit 7x4g	Direct restoration and permanent filling dental cavities. It is indicated for direct filling of class I, II, III, IV and V Cavities in anterior and posterior teeth. Preventive resin restoration and repair of composite / ceramic veneers	Ila	8	Y	N	N/A	Y
12	35876	Fusion Universal Composite Master Kit 7x4g	Direct restoration and permanent filling dental cavities. It is indicated for direct filling of class I, II, III, IV and V Cavities in anterior and posterior teeth. Preventive resin restoration and repair of composite / ceramic veneers	Ila	8	Y	N	N/A	Y
13	35875	Fusion Universal Composite Unit Dose Compules 20x0.25g	Direct restoration and permanent filling dental cavities. It is indicated for direct filling of class I, II, III, IV and V Cavities in anterior and posterior teeth. Preventive resin restoration and repair of composite / ceramic veneers	Ila	8	Y	N	N/A	Y
14	35875	Fusion Flo Trial Pack 1x2g	Direct restoration and permanent filling dental cavities. To be used for direct filling of class V (Cervical Caries), root erosions, wedge shaped defects. Fillings of anterior teeth (Class III & IV). Small fillings in posterior teeth. Repair of composite and ceramic veneers Block out of undercuts. Adhesive cementing of composite and ceramic restorations.	Ila	8	Y	N	N/A	Y
15	35875	Octolight Flow Composite 1x2g A2	Direct restoration and permanent filling dental cavities. To be used for direct filling of class V (Cervical Caries), root erosions, wedge shaped defects. Fillings of anterior teeth (Class III & IV). Small fillings in posterior teeth. Repair of composite and ceramic veneers Block out of undercuts. Adhesive cementing of composite and ceramic restorations.	Ila	8	Y	N	N/A	Y

16	35875	Octolight Flow Composite 1x2g A3	Direct restoration and permanent filling dental cavities.To be used for direct filling of class V (Cervical Caries), root erosions, wedge shaped defects. Fillings of anterior teeth (Class III & IV).Small fillings in posterior teeth. Repair of composite and ceramic veneers Block out of undercuts. Adhesive cementing of composite and ceramic restorations.	Ila	8	Y	N	N/A	Y
17	35875	Octolight Flow Composite 1x2g A3.5	Direct restoration and permanent filling dental cavities.To be used for direct filling of class V (Cervical Caries), root erosions, wedge shaped defects. Fillings of anterior teeth (Class III & IV).Small fillings in posterior teeth. Repair of composite and ceramic veneers Block out of undercuts. Adhesive cementing of composite and ceramic restorations.	Ila	8	Y	N	N/A	Y
18	35875	Fusion Flo Intro Pack 2x2g	Direct restoration and permanent filling dental cavities.To be used for direct filling of class V (Cervical Caries), root erosions, wedge shaped defects. Fillings of anterior teeth (Class III & IV).Small fillings in posterior teeth. Repair of composite and ceramic veneers Block out of undercuts. Adhesive cementing of composite and ceramic restorations.	Ila	8	Y	N	N/A	Y
19	35875	Fusion Flo 1x1.2ml	Direct restoration and permanent filling dental cavities.To be used for direct filling of class V (Cervical Caries), root erosions, wedge shaped defects. Fillings of anterior teeth (Class III & IV).Small fillings in posterior teeth. Repair of composite and ceramic veneers Block out of undercuts. Adhesive cementing of composite and ceramic restorations.	Ila	8	Y	N	N/A	Y
20	35875	Fusion Flo SE Trial Pack 1x2g	Fusion Flo SE is indicated for direct filling of class V (Cervical Caries), root erosions, wedge shaped defects. Fillings of anterior teeth (Class III & IV). Small fillings in posterior teeth.	Ila	8	Y	N	N/A	Y

21	35875	Fusion Flo SE Intro Pack 2x2g	Fusion Flo SE is indicated for direct filling of class V (Cervical Caries), root erosions, wedge shaped defects. Fillings of anterior teeth (Class III & IV). Small fillings in posterior teeth.	Ila	8	Y	N	N/A	Y
22	35875	Fusion Flo Combo kit 4x2g	Direct restoration and permanent filling dental cavities. To be used for direct filling of class V (Cervical Caries), root erosions, wedge shaped defects. Fillings of anterior teeth (Class III & IV). Small fillings in posterior teeth. Repair of composite and ceramic veneers Block out of undercuts. Adhesive cementing of composite and ceramic restorations.	Ila	8	Y	N	N/A	Y
23	16725	Self Comp	Direct restoration and permanent filling of dental cavities. The device is Intended for class III to V fillings - class I and II fillings which are not exposed to occlusal forces - extended fissure sealing - core build-up - reconstruction of traumatically affected teeth - improving aesthetics (e.g. diastema, hypoplasia, conical teeth, erosions)	Ila	8	Y	N	N/A	Y
24	38789	Fusion Core DC Flo Intro Pack	Core build-up of vital or non-vital teeth and luting of fiber post	Ila	8	Y	N	N/A	Y
25	38789	Fusion Core DC Flo Combo Pack	Core build-up of vital or non-vital teeth and luting of fiber post	Ila	8	Y	N	N/A	Y
26	31780	PF Seal Trial Pack 1x2g	Sealing /filling of pits & fissures. Intended for Sealing/filling of pits and fissures, Sealing/facing of damaged enamel surfaces, Covering of caries predilection sites during orthodontic treatment, Sealing of deciduous teeth.	Ila	8	Y	N	N/A	Y

27	31780	PF Seal Intro Pack 2x2g	Sealing /filling of pits & fissures. Intended for Sealing/filling of pits and fissures, Sealing/facing of damaged enamel surfaces, Covering of caries predilection sites during orthodontic treatment, Sealing of deciduous teeth.	Ila	8	Y	N	N/A	Y
28	31780	PF Seal SE Trial Pack 1x2g	1. Sealing/filling of pits and fissures. 2. Sealing/facing of damaged enamel surfaces. 3. Covering of caries predilection sites during orthodontic treatment. 4. Sealing of deciduous teeth.	Ila	8	Y	N	N/A	Y
29	31780	PF Seal SE Intro Pack 1x2g	1. Sealing/filling of pits and fissures. 2. Sealing/facing of damaged enamel surfaces. 3. Covering of caries predilection sites during orthodontic treatment. 4. Sealing of deciduous teeth.	Ila	8	Y	N	N/A	Y
30	35870	Fusion Ultra D/C Intro Pack	Permanent cementation of crown and bridge, Permanent cementation of endodontic posts made of metal, re-enforced composites, permanent cementation of implant retained crowns.	Ila	8	Y	N	N/A	Y
31	35870	Fusion Ultra D/C Universal Intro Pack	Cementation of crowns, bridges inlays and onlays. Cementation of prosthetic restorations on implants abutments and frames, Cementation of adhesion bridges and splints, Cementation of posts and cores.	Ila	8	Y	N	N/A	Y
32	35870	Fusion Self Lute Intro Pack	Cementation of indirect restorations Cementation of indirect restoration (Inlays, crowns bridges, posts) made of : Metal and metal ceramics, reinforced composite. All ceramics Composites.	Ila	8	Y	N	N/A	Y

33	31750		Fusion Crysta Adhesive Trial Pack 1x4g	This product is Indicated for metal and ceramic orthodontic brackets and bands to be bonded	Ila	8	Y	N	N/A	Y
34	31750		Fusion Crysta Adhesive Intro Pack 2x4g	This product is Indicated for metal and ceramic orthodontic brackets and bands to be bonded	Ila	8	Y	N	N/A	Y
35	38770	Sealants Liners & Base Materials ++D967SLTF089B	Apacal Art Trial Pack 1x2g	Direct and indirect pulp capping and lining for pulp protection	Ila	8	Y	N	N/A	Y
36	38770		Apacal Art Intro Pack 2x2g	Direct and indirect pulp capping and lining for pulp protection	Ila	8	Y	N	N/A	Y
37	38770		Fusion I Seal Trial Pack 1x2g	Pulp protecting agent in deep cavities and cavity liner under various restorations Fusion I-Seal single component, light cured glass ionomer cement for lining, extended fissure sealing and smaller lesions.	Ila	8	Y	N	N/A	Y
38	38770		Fusion I Seal Intro Pack 2x2g	Pulp protecting agent in deep cavities and cavity liner under various restorations Fusion I-Seal single component, light cured glass ionomer cement for lining, extended fissure sealing and smaller lesions.	Ila	8	Y	N	N/A	Y
39	38770		Fusion I Seal Economy Pack 4x2g	Pulp protecting agent in deep cavities and cavity liner under various restorations Fusion I-Seal single component, light cured glass ionomer cement for lining, extended fissure sealing and smaller lesions.	Ila	8	Y	N	N/A	Y
40	38770		Fusion I Seal 1x3g	Pulp protecting agent in deep cavities and cavity liner under various restorations Fusion I-Seal single component, light cured glass ionomer cement for lining, extended fissure sealing and smaller lesions.	Ila	8	Y	N	N/A	Y

41	38770		Fusion I Seal 2x3g	Pulp protecting agent in deep cavities and cavity liner under various restorations Fusion I-Seal single component, light cured glass ionomer cement for lining, extended fissure sealing and smaller lesions.	Ila	8	Y	N	N/A	Y
42	38770		Cal LC Trial Pack 1x2g	Direct Pulp capping and cavity liner under all filling materials. Direct pulp capping, lining under all filling materials, temporaryand long term sealing.	Ila	8	Y	N	N/A	Y
43	38770		Cal LC Intro Pack 2x2g	Direct Pulp capping and cavity liner under all filling materials. Direct pulp capping, lining under all filling materials, temporaryand long term sealing.	Ila	8	Y	N	N/A	Y
44	38770		Cal LC Economy Pack 4x2g	Direct Pulp capping and cavity liner under all filling materials. Direct pulp capping, lining under all filling materials, temporaryand long term sealing.	Ila	8	Y	N	N/A	Y
45	34782	Adhesives ++D967ADTF09X8	Fusion Bond 7 Intro Pack 5ml	Fusion Bond 7 / Fusion Self Etch Bond adhesive can be used for the bonding of both direct and indirect restorations.	Ila	8	Y	N	N/A	Y
46	34782		Fusion Self Etch Bond Intro Pack 5ml	Fusion Bond 7 / Fusion Self Etch Bond adhesive can be used for the bonding of both direct and indirect restorations.	Ila	8	Y	N	N/A	Y
47	34782		Fusion Bond 7 Economy Pack 2x5ml	Fusion Bond 7 / Fusion Self Etch Bond adhesive can be used for the bonding of both direct and indirect restorations.	Ila	8	Y	N	N/A	Y
48	34782		Fusion Self Etch Bond Economy Pack 2x5ml	Fusion Bond 7 / Fusion Self Etch Bond adhesive can be used for the bonding of both direct and indirect restorations.	Ila	8	Y	N	N/A	Y

49	34782	Fusion Bond 5 Intro Pack 5ml	Adhesive for direct, light-curing and dual-curing composite and compomer restorations. Adhesive for light-initiated resin cements used in conjunction with indirect all-ceramic and composite restorations (inlays, onlays, veneers and full-coverage crowns).	Ila	8	Y	N	N/A	Y
50	34782	Fusion Total Etch Bond Intro Pack 5ml	Adhesive for direct, light-curing and dual-curing composite and compomer restorations. Adhesive for light-initiated resin cements used in conjunction with indirect all-ceramic and composite restorations (inlays, onlays, veneers and full-coverage crowns).	Ila	8	Y	N	N/A	Y
51	34782	Fusion Bond 5 Economy Pack 2x5ml	Adhesive for direct, light-curing and dual-curing composite and compomer restorations. Adhesive for light-initiated resin cements used in conjunction with indirect all-ceramic and composite restorations (inlays, onlays, veneers and full-coverage crowns).	Ila	8	Y	N	N/A	Y
52	34782	Fusion Total Etch Bond Economy Pack 2x5ml	Adhesive for direct, light-curing and dual-curing composite and compomer restorations. Adhesive for light-initiated resin cements used in conjunction with indirect all-ceramic and composite restorations (inlays, onlays, veneers and full-coverage crowns).	Ila	8	Y	N	N/A	Y
53	34782	Fusion Bond DC	Direct, Light Cure Composite restorations, Core Build-Ups and adhesion of resin cements for post, crowns, bridges, inlays and onlays.	Ila	8	Y	N	N/A	Y
54	34782	Renew MDP Regular Pack 1x5ml	Renew MDP can be used for the bonding of both direct and indirect restorations and may be used with or without phosphoric acid etchant.	Ila	8	Y	N	N/A	Y

55	34782		Renew Universal Intro Pack 1x1.2ml	Renew MDP can be used for the bonding of both direct and indirect restorations and may be used with or without phosphoric acid etchant.	Ila	8	Y	N	N/A	Y
56	34782		Renew Universal Regular Pack 1x5ml	Renew Universal can be used for the bonding of both direct and indirect restorations and may be used with or without phosphoric acid etchant.	Ila	8	Y	N	N/A	Y
57	34782		Renew Universal 2x5ml	Renew Universal can be used for the bonding of both direct and indirect restorations and may be used with or without phosphoric acid etchant.	Ila	8	Y	N	N/A	Y
58	31750		Fusion Crysta Adhesive Primer Regular Pack	Fusion Crysta Adhesive Primer is indicated for use as a combined etchant and primer in orthodontic treatment and is used only with light curing direct bonding orthodontic adhesive (FUSION CRYSTA ADHESIVE).	Ila	8	Y	N	N/A	Y
59	31750		Fusion Crysta Orthodontic Adhesive Kit	This product is Indicated for metal and ceramic orthodontic brackets and bands to be bonded. Fusion Crysta Adhesive Primer is indicated for use as a combined etchant and primer in orthodontic treatment and is used only with light curing direct bonding orthodontic adhesive (FUSION CRYSTA ADHESIVE).	Ila	8	Y	N	N/A	Y
60	34779	Dental Cements ++D967DCTF10X M	Micron Silver	Core build-up. Restoration of primary teeth. Cases where radiopacity is required. As a base or liner. Class I, limited Class II (low stress bearing areas), temporary fillings, etc. Long term temporary replacement of cusps. Intermediate restoratives and base material for class I and II cavities using the sandwich technique. Class V restorations in non-aesthetic situations. Restorative in the field using the ART technique. Temporary endodontic fillings.	Ila	8	Y	N	N/A	Y

61	34779	Crysta Silver	Core build-up. Restoration of primary teeth. Cases where radiopacity is required. As a base or liner. Class I, limited Class II(low stress bearing areas), temporary fillings, etc. Long term temporary replacement of cusps. Intermediate restoratives and base material for class I and II cavities using the sandwich technique. Class V restorations in non-aesthetic situations. Restorative in the field using the ART technique. Temporary endodontic fillings.	Ila	8	Y	N	N/A	Y
62	34779	Micron Bioactive	Core build-up. Restoration of primary teeth. Cases where radiopacity is required. As a base or liner. Class I, limited Class II(low stress bearing areas), temporary fillings, etc. Long term temporary replacement of cusps. Intermediate restoratives and base material for class I and II cavities using the sandwich technique. Class V restorations in non-aesthetic situations. Restorative in the field using the ART technique. Temporary endodontic fillings.	Ila	8	Y	N	N/A	Y
63	34779	Crysta Bioactive	Core build-up. Restoration of primary teeth. Cases where radiopacity is required. As a base or liner. Class I, limited Class II(low stress bearing areas), temporary fillings, etc. Long term temporary replacement of cusps. Intermediate restoratives and base material for class I and II cavities using the sandwich technique. Class V restorations in non-aesthetic situations. Restorative in the field using the ART technique. Temporary endodontic fillings.	Ila	8	Y	N	N/A	Y

64	34783	Micron Superior	Restoration of primary teeth, core build up and restoration of class III, V and limited class I cavities.	Ila	8	Y	N	N/A	Y
65	34783	Crysta Restorative	Restoration of primary teeth, core build up and restoration of class III, V and limited class I cavities.	Ila	8	Y	N	N/A	Y
66	34783	Micron Superior Capsules	Restoration of primary teeth, core build up and restoration of class III, V and limited class I cavities.	Ila	8	Y	N	N/A	Y
67	34779	Micron Luting	Cementation of metal-based inlays, onlays crowns and bridges. Cementation of high strength (Zirconia based) all ceramic crowns and bridges. Cementation of stainless steel Crowns Attachment of metal orthodontic bands.	Ila	8	Y	N	N/A	Y
68	34779	Crysta Luting	Cementation of metal-based inlays, onlays crowns and bridges. Cementation of high strength (Zirconia based) all ceramic crowns and bridges. Cementation of stainless steel Crowns Attachment of metal orthodontic bands.	Ila	8	Y	N	N/A	Y
69	16705	Poly Zinc + Intro Pack	Cementations of crowns, bridges, inlays and orthodontic brackets. Cavitylining under all restorative materials. Temporary fillings	Ila	8	Y	N	N/A	Y
70	16705	Poly Zinc + Economy Pack	Cementations of crowns, bridges, inlays and orthodontic brackets. Cavitylining under all restorative materials. Temporary fillings	Ila	8	Y	N	N/A	Y
70	16710	Zinc F+ Intro Pack	Cementation of crowns, bridges, inlays and orthodontic brackets. Cavity lining under all restorative materials.	Ila	8	Y	N	N/A	Y

71	16710		Zinc F+ Economy Pack	Cementation of crowns, bridges, inlays and orthodontic brackets. Cavity lining under all restorative materials.	Ila	8	Y	N	N/A	Y
72	38778	Temporary Filling Materials ++D967TMTF119Q	Orafil-G 40g	Recommended for temporary restoration of cavities in the interval between tooth preparation and the permanent cementation of completed inlays.	Ila	7	Y	N	N/A	Y
73	38778		Orafil Plus 40g	Recommended for temporary restoration of cavities in the interval between tooth preparation and the permanent cementation of completed inlays and as a cementing medium for all types of temporary crowns.	Ila	7	Y	N	N/A	Y
74	46939		OraTemp NE Manual Mix Paste	Temporary cementation of provisional restorations & Temporary cementation of final restorations. The Product has been designed to remain in the mouth for upto 4 weeks.	Ila	7	Y	N	N/A	Y
75	46939		OraTemp NE Automix Mix Paste	Temporary cementation of provisional restorations & Temporary cementation of final restorations. The Product has been designed to remain in the mouth for upto 4 weeks.	Ila	7	Y	N	N/A	Y
76	38778		Orafil LC 1x3g	All types of temporary fillings, temporary protection in inlay and onlay technique.	Ila	7	Y	N	N/A	Y
77	31783		OraTemp C&B	Fabrication of temporary crowns, bridges, inlays, onlays, and veneers. Fabrication of long-lasting temporary restorations. Lining material for prefabricated temporary crowns made of composite .	Ila	7	Y	N	N/A	Y
78	16709		Zinc Oxide Powder 110g	Mix with Eugenol to form a thick paste and place into a tooth cavity either as a dressing on a painful tooth or as a lining under a non composite resin	Ila	7	Y	N	N/A	Y

				restoration.						
79	36095	Root Canal Sealing Materials ++D967ESTF015L	GuttaFill BA	Endodontic sealer. Obturing material in combination with gutta-percha.	Ila	8	Y	N	N/A	Y
80	36095		Eposeal	Permanent obturation of root canals of teeth of the secondary dentition in combination with root canal points.	Ila	8	Y	N	N/A	Y
81	36095		Eposeal Manual Mix Cartridge	Permanent obturation of root canals of teeth of the secondary dentition in combination with root canal points.	Ila	8	Y	N	N/A	Y
82	36095		Zical Automix Paste	Permanent filling of dental root canal points.	Ila	8	Y	N	N/A	Y
83	36095		Zical Manual Mix Paste	Permanent filling of dental root canal points.	Ila	8	Y	N	N/A	Y
84	36095		Endoseal Plus	Permanent obturation of root canals of teeth of the secondary dentition in combination with root canal points.	Ila	8	Y	N	N/A	Y
85	36095		MTA Plus Trial Pack 1g	Dental procedures that contact vital pulp tissue such as : <ul style="list-style-type: none"> • Pulp capping, • Cavity lining, or • Pulpotomies. Dental procedures that contact the periradicular tissues such as : <ul style="list-style-type: none"> • Root-end filling, • Apexification, • Perforation repair, • Root resorption, • Sealing, or • Obturation (pulpectomy). 	Ila	8	Y	N	N/A	Y

86	36095	MTA Plus Aqua	<p>Dental procedures that contact vital pulp tissue such as :</p> <ul style="list-style-type: none"> • Pulp capping, • Cavity lining, or • Pulpotomies. <p>Dental procedures that contact the periradicular tissues such as :</p> <ul style="list-style-type: none"> • Root-end filling, • Apexification, • Perforation repair, • Root resorption, • Sealing, or • Obturation (pulpectomy). 	Ila	8	Y	N	N/A	Y
87	36095	MTA Plus Intro Pack 2g	<p>Dental procedures that contact vital pulp tissue such as :</p> <ul style="list-style-type: none"> • Pulp capping, • Cavity lining, or • Pulpotomies. <p>Dental procedures that contact the periradicular tissues such as :</p> <ul style="list-style-type: none"> • Root-end filling, • Apexification, • Perforation repair, • Root resorption, • Sealing, or • Obturation (pulpectomy). 	Ila	8	Y	N	N/A	Y

88	36095		MTA Plus Economy Pack 6g	<p>Dental procedures that contact vital pulp tissue such as :</p> <ul style="list-style-type: none"> • Pulp capping, • Cavity lining, or • Pulpotomies. <p>Dental procedures that contact the periradicular tissues such as :</p> <ul style="list-style-type: none"> • Root-end filling, • Apexification, • Perforation repair, • Root resorption, • Sealing, or • Obturation (pulpectomy). 	Ila	8	Y	N	N/A	Y
89	36095		Cerafill RCS 1x1.2g	<p>1. Permanent obturation / filling of root canals.</p> <p>2. As a root canal sealer for teeth of the secondary dentition in combination with root canal points. (suitable for single cone and lateral condensation).</p>	Ila	8	Y	N	N/A	Y
90	36095		Cerafill RCS 1x2g	<p>1. Permanent obturation / filling of root canals.</p> <p>2. As a root canal sealer for teeth of the secondary dentition in combination with root canal points. (suitable for single cone and lateral condensation).</p>	Ila	8	Y	N	N/A	Y
91	45233	Endodontic Materials ++D967EMTF023L	Dolo EDTA Gel Trial Pack 1x2g	For chemical & mechanical preparation of root canals. Cleansing and enlarging of calcified root canals.	Ila	6	Y	N	N/A	Y
92	45233		Dolo EDTA Gel Intro Pack 1x3g	For chemical & mechanical preparation of root canals. Cleansing and enlarging of calcified root canals.	Ila	6	Y	N	N/A	Y
93	45233		Dolo EDTA Gel Economy Pack 4x2g	For chemical & mechanical preparation of root canals. Cleansing and enlarging of calcified root canals.	Ila	6	Y	N	N/A	Y
94	45233		EDTA Plus 2x3g	For chemical & mechanical preparation of root canals. Cleansing and enlarging of calcified root	Ila	6	Y	N	N/A	Y

				canals.						
95	40016		EDTA Solution 15ml	For root canal cleansing and shaping during instrumentation. EDTA Solution helps in opening calcified canals.	Ila	6	Y	N	N/A	Y
96	40016		EDTA Solution 100ml	For root canal cleansing and shaping during instrumentation. EDTA Solution helps in opening calcified canals.	Ila	6	Y	N	N/A	Y
97	45234		Carvene 10ml	Carvene G.P. Solvent is used for removing gutta percha at the time of root canal retreatment. Also useful for removing all types of root canal filling materials including Zinc Oxide – Eugenol Cement or as a cleaner for endodontic instruments.	Ila	6	Y	N	N/A	Y
98	38770	Pulp Capping Materials ++D967PCTF044R	Calcigel Trial Pack 1x2g	As a liner for pulp capping on vital pulp.Capping after pulpotomy. Cavity Lining before filling Root canal treatment and periapical therapy.	Ila	7	Y	N	N/A	Y
99	38770		Calcigel Intro Pack 1x3g	As a liner for pulp capping on vital pulp.Capping after pulpotomy. Cavity Lining before filling Root canal treatment and periapical therapy.	Ila	7	Y	N	N/A	Y
100	38770		Calcigel Regular Pack 1x2.2g	As a liner for pulp capping on vital pulp.Capping after pulpotomy. Cavity Lining before filling Root canal treatment and periapical therapy.	Ila	7	Y	N	N/A	Y
101	38770		Calcigel Economy Pack 4x2g	As a liner for pulp capping on vital pulp.Capping after pulpotomy. Cavity Lining before filling Root canal treatment and periapical therapy.	Ila	7	Y	N	N/A	Y
102	38770		Octocanal 1x3g	As a liner for pulp capping on vital pulp.Capping after pulpotomy. Cavity Lining before filling Root canal treatment and periapical therapy.	Ila	7	Y	N	N/A	Y

103	38770		Pulp X 6g	Pulp Devitalizer prior to mortal extirpation or amputation. Residual devitalization after removal of non-vital pulp tissue.	Ila	7	Y	N	N/A	Y
104	38770		Calcium Hydroxide 10g	Direct & indirect pulp capping. Sub base under restoration. Dressing for apexification procedures. Thermal insulation	Ila	7	Y	N	N/A	Y
105	34771	Desensitizers & Varnishes ++D967DVTF126D	Nano Coat 5ml	To seal and protect the surface of glass ionomers direct or indirect composites and provisional restorations. To seal and protect the adhesive interface between restoration and tooth surface.	Ila	8	Y	N	N/A	Y
106	35698		Copal F 15ml	Cavity liner and varnish under amalgams composites and cements	Ila	8	Y	N	N/A	Y
107	42341		FluoroDip Bioactive 10ml	Treatment of hyper sensitive teeth and remineralization of enamel & dentine. Prevention of caries	Ila	7	Y	N	N/A	Y
108	42341		FluoroDip Bioactive Monodose 10x0.5ml	Treatment of hyper sensitive teeth and remineralization of enamel & dentine. Prevention of caries	Ila	7	Y	N	N/A	Y
109	42341		FluoroDip Bioactive Monodose 10x0.5ml	Treatment of hyper sensitive teeth and remineralization of enamel & dentine. Prevention of caries	Ila	7	Y	N	N/A	Y
110	45232		Shield Activ 5ml	Shield Activ Dentin Desensitizer is used for treatment of dentinal hypersensitivity, before and after scaling, under veneers, inlays crowns, onlays, amalgams, composites, before and after tooth bleaching or whitening.	Ila	6	Y	N	N/A	Y

111	45232		BioEnamel 2ml	Remineralization of de-mineralized tooth structure. Post whitening sensitivity. Sensitivity caused due to non-carious lesions and sensitivity after oral prophylaxis.	Ila	6	Y	N	N/A	Y
112	16737	Denture Base Polymers ++D967DBTF13X G	Hiflex RR	Repair & relining of dentures Construction of temporary crowns. Impression trays for individual teeth. Orthodontic plates, Splints, Check bite & other general purposes.	Ila	5	Y	N	N/A	Y
113	16737		Hiflex H	Constructions of full and partial dentures.	Ila	5	Y	N	N/A	Y
114	36153	Etching Materials ++D967ETTF1468	Actino Gel Trial Pack 1x2ml	Used for conditioning both dental enamel and dentine surfaces prior to the placement of an adhesive restoration.	Ila	6	Y	N	N/A	Y
115	36153		Actino Gel 1x3ml	Used for conditioning both dental enamel and dentine surfaces prior to the placement of an adhesive restoration.	Ila	6	Y	N	N/A	Y
116	36153		Actino Gel Intro Pack 5ml	Used for conditioning both dental enamel and dentine surfaces prior to the placement of an adhesive restoration.	Ila	6	Y	N	N/A	Y
117	36153		Actino Gel Economy Pack 4x5ml	Used for conditioning both dental enamel and dentine surfaces prior to the placement of an adhesive restoration.	Ila	6	Y	N	N/A	Y
118	36153		Actino Gel Jumbo Pack 50ml	Used for conditioning both dental enamel and dentine surfaces prior to the placement of an adhesive restoration.	Ila	6	Y	N	N/A	Y
119	17737		Actino Liquid 10ml	Used for conditioning both dental enamel and dentine surfaces prior to the placement of an adhesive restoration.	Ila	6	Y	N	N/A	Y
120	36156		Microgel SF Intro Pack 5ml	Used for conditioning both dental enamel and dentine surfaces prior to the placement of an adhesive restoration.	Ila	6	Y	N	N/A	Y
121	36156		Microgel SF Economy Pack 4x5ml	Used for conditioning both dental enamel and	Ila	6				Y

				dentine surfaces prior to the placement of an adhesive restoration.			Y	N	N/A	
122	36153		Cera Etch Intro Pack 1x1.2ml	Repair of porcelain restorations. Cementation of porcelain restorations	Ila	6	Y	N	N/A	Y
123	36153		Cera Etch Economy Pack 10ml	Repair of porcelain restorations. Cementation of porcelain restorations	Ila	6	Y	N	N/A	Y
124	34782	Auxiliary Dental Materials ++D967AMTF0322	Silane X Intro Pack 1x1.2ml	Used for porcelain repairs and bonding etched porcelain restorations	Ila	6	Y	N	N/A	Y
125	34782		Silane X Economy Pack 10ml	Used for porcelain repairs and bonding etched porcelain restorations	Ila	6	Y	N	N/A	Y
126	34782		Silane X 4x1.2ml	Used for porcelain repairs and bonding etched porcelain restorations	Ila	6	Y	N	N/A	Y
127	34779		Micron Dentin Conditioner 10ml	Intended for dentine conditioner to improve the bond between glass ionomer cement and dentine.	Ila	6	Y	N	N/A	Y
128	34779		Crysta Dentin Conditioner 10ml	Intended for dentine conditioner to improve the bond between glass ionomer cement and dentine.	Ila	6	Y	N	N/A	Y
129	34524		Ultra Dry Intro Pack 1x1.2ml	Chemical drying of etched porcelain surfaces prior to applying saline.	Ila	6	Y	N	N/A	Y
130	34524		Ultra Dry Economy Pack 10ml	Chemical drying of etched porcelain surfaces prior to applying saline.	Ila	6	Y	N	N/A	Y
131	35717		EpoSolv 15ml	EpoSolv is a solvent for epoxy and other resin sealers during endodontic re-treatment EpoSolv aids in the softening of phenolic resin type fillings.	Ila	6	Y	N	N/A	Y
132	34814		Platina Hi Gloss 4g	Final polishing of direct or indirect anterior and posterior composite resin restorative materials	Ila	6	Y	N	N/A	Y

133	35877	A.C.E	Use for repair of composite-to-porcelain, porcelain-to-metal, and porcelain-to-porcelain crowns, bridges, inlays and onlays	Ila	6	Y	N	N/A	Y
134	34814	Spectra Fresh Mint Prophylaxis Paste 200g	Prophylaxis Paste, is indicated for use to effectively clean and polish tooth structure with minimal abrasion	Ila	6	Y	N	N/A	Y
135	34814	Spectra Fresh Mint Prophylaxis Paste 340g	Prophylaxis Paste, is indicated for use to effectively clean and polish tooth structure with minimal abrasion	Ila	6	Y	N	N/A	Y
136	34814	Spectra Fresh Mint Prophylaxis Paste 75g	Prophylaxis Paste, is indicated for use to effectively clean and polish tooth structure with minimal abrasion	Ila	6	Y	N	N/A	Y
137	34814	Spectra Fresh Fruits Prophylaxis Paste 75g	Prophylaxis Paste, is indicated for use to effectively clean and polish tooth structure with minimal abrasion	Ila	6	Y	N	N/A	Y
138	34814	Spectra Fresh Strawberry Prophylaxis Paste 75g	Prophylaxis Paste, is indicated for use to effectively clean and polish tooth structure with minimal abrasion	Ila	6	Y	N	N/A	Y
139	34814	Spectra Fresh Orange Prophylaxis Paste 75g	Prophylaxis Paste, is indicated for use to effectively clean and polish tooth structure with minimal abrasion	Ila	6	Y	N	N/A	Y
140	34814	Spectra Fresh Pineapple Prophylaxis Paste 75g	Prophylaxis Paste, is indicated for use to effectively clean and polish tooth structure with minimal abrasion	Ila	6	Y	N	N/A	Y
141	38783	Reveal 5ml	Caries Indication	Ila	6	Y	N	N/A	Y
142	38783	Octoop 5ml	Caries Indication	Ila	6	Y	N	N/A	Y
143	34872	Gingiva Shield VLC Intro Pack 2x1.2ml	To seal the margins to protect soft tissues during whitening treatment	Ila	6	Y	N	N/A	Y
144	34872	Gingiva Shield VLC Economy Pack 4x1.2ml	To seal the margins to protect soft tissues during whitening treatment	Ila	6	Y	N	N/A	Y

145	38773	Zinc Oxide Eugenol Temporary Filling Material ++D967ZETF069M	Zinconol (Powder 15g, Liquid 10ml)	Intermediate restorative material (IRM) for class I & II restorations. Temporary restoration in emergency treatments and to seal the coronal portion of the teeth under endodontic treatment. As a base under amalgam and non resin restorations.	Ila	7	Y	N	N/A	Y
146	38773		Zinconol (Powder 75g, Liquid 40ml)	Intermediate restorative material (IRM) for class I & II restorations. Temporary restoration in emergency treatments and to seal the coronal portion of the teeth under endodontic treatment. As a base under amalgam and non resin restorations.	Ila	7	Y	N	N/A	Y
147	38773		Zitemp (Powder 15g, Liquid 10ml)	Temporary restoration, temporary cementation of crowns, cavity liner under most restorative materials.	Ila	7	Y	N	N/A	Y

Date: 07/07/2021

CEO Of Obelis

Gideon Elkayam

Obelis s.a. - O.E.A.R.C.

Registered Address :

Bld Général Wahis 53

1030 Bruxelles

Tél. +32 2 732 59 54 - Fax +32 2 732 60 03