

MATERIAL SAFETY DATA SHEET

Date Issue 27.09.2022

Version Number 0

Review date -

SECTION 1 : PRODUCT AND COMPANY IDENTIFICATION

Prevest C&B, Permanent
3D printing resin for fabrication of permanent crowns & bridges, inlays, onlays and veneers
Prevest Denpro Limited
Unit II, Export Promotion Industrial Park (EPIP), Bari Brahmana, Jammu (J&K)-181133 India
0191 3506858 / 8899074151
+91-1923-222774
customercare@prevestdenpro.com
www.prevestdenpro.com
+91 8899074151

SECTION 2 : HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008 [CLP]

Skin Sens.	Cat. 1	H317
Aquatic Chronic.	Cat. 2	H411
Serious eye damage/eye irritation	Cat. 2	H319

For the full text of H, phrases see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Hazard statements:

- H319 Causes Serious irritation.
- H411 Toxic to aquatic life with long lasting effects.
- H317 May cause an allergic skin reaction.

Precautionary statements:

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P273: Avoid release to the environment.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present, and easy to do. Continue rinsing.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P501: Dispose of contents/container to an approved waste disposal plant.

Prevest Denpro Limited, CIN: L85199JK1999PLC001969, Registered Office & Factory: Unit II, Export Promotion Industrial Park (EPIP), Bari Brahmana, Jammu (J&K)-181133,India. Phone: + 0191 350 6858, 8899074151, E-mail : info@prevestdenpro.com, Web : www.prevestdenpro.com



MATERIAL SAFETY DATA SHEET

Date Issue 27.09.2022

Version Number 0

Review date -

2.3. Other hazards

No additional information available

SECTION 3 : COMPOSITION/ INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable.

3.2. Mixtures

COMPONENTS	C.A.S.	% by Wt
Methacylate	-	(trade secret*)
Photo initiators		(trade secret*)
Pigments	-	< 1
		(trade secret*)

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

After inhalation

Move the victim to fresh air. Put the victim at rest and keep warm.

After contact with the skin

After contact with the skin, wash immediately with water and soap.

After contact with the eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Call a physician immediately.

SECTION 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO₂).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture COx, NOx

SECTION 6: ACCIDENT RELEASE MEASURES

Prevest Denpro Limited, CIN: L85199JK1999PLC001969, Registered Office & Factory: Unit II, Export Promotion Industrial Park (EPIP), Bari Brahmana, Jammu (J&K)-181133,India. Phone : + 0191 350 6858, 8899074151, E-mail : info@prevestdenpro.com, Web : www.prevestdenpro.com



MATERIAL SAFETY DATA SHEET

Dai	te Issue 27.09.2022	Version Number 0	Review date -
6.1.	Personal precautions, protective equipment and emergency procedures		
	Wear suitable protective clothing. Provide adeq	uate ventilation.	
6.2.	2. <u>Environmental precautions</u>		
	Do not allow to enter into surface water or drains.		
6.3.	Methods and material for containment and cleaning up		
	Take up mechanically.		
SECTION 7: HANDLING AND STORAGE			
7.1.	Precautions for safe handling		
	Adviss on sofe handling		

Advice on safe handling

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eves.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the container tightly closed in a cool, well-ventilated place.

Store only in original container.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

8.1. **Exposure Controls**

Ventilation Controls

Ensure adequate ventilation.

Respiratory Protection

Respirators are generally not needed under normal conditions of use. If this material is handled at elevated temperature, under mist forming conditions or in case of accidental release of large quantities of product use a fullface respirator or respirator cartridges as a backup to engineering controls.

Protective Gloves

Wear impervious gloves (nitrile or neoprene) for routine handling.

Eye and Face Protection: Chemical splash goggles or a face shield is recommended during operations where splashing could occur.

Skin Protection

Avoid all skin contact. Depending on the conditions of use, cover as much of the exposed skin area as possible by wearing gloves, aprons, long pants, and long sleeved shirts.

Other Controls

For operations where contact can occur a safety shower and eye wash facility should be available. Always use good personal hygiene and housekeeping practices. Wash hands thoroughly after handling.

Environmental Exposure Controls

Keep product from waterways and watersheds. This substance is not readily biodegradable and is dangerous for the environment. Avoid release into the environment.

Prevest Denpro Limited, CIN: L85199JK1999PLC001969, Registered Office & Factory: Unit II, Export Promotion Industrial Park (EPIP), Bari Brahmana, Jammu (J&K)-181133,India. Phone: + 0191 350 6858, 8899074151, E-mail: info@prevestdenpro.com, Web: www.prevestdenpro.com



MATERIAL SAFETY DATA SHEET

Date Issue 27.09.2022

Version Number 0

Review date -

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	
Form	Colored Liquid
Color	Tooth Color
Odor	Fruit, ester-like odor
Odor Threshold	N/D
pH value at 20°C (68°F)	N/D
Change in condition	
Melting Point/Melting Range	N/D
Flash point	N/D
Flammability (solid, gaseous)	N/D
Decomposition temperature	N/D
Auto igniting	N/D
Danger of explosion	N/D
Explosion limits	N/D
Lower	N/D
Upper	N/D
Vapour Pressure at 20°C (68°F):	N/D
Vapour Density	N/D
Viscosity, dynamic at 25°C	2000-3800 M.P.a
Evaporation rate	N/D
Miscibility with Water	Nearly Insoluble in Water
Partition coefficient (n-octanol/water)	N/D
Solvent content	N/D
Organic solvents	N/D
Water	N/D
Solids content	N/D

SECTION 10: STABILITY AND REACTIVITY

10.1. <u>Reactivity</u>

Prevest Denpro Limited, CIN: L85199JK1999PLC001969, Registered Office & Factory: Unit II, Export Promotion Industrial Park (EPIP), Bari Brahmana, Jammu (J&K)-181133,India. Phone : + 0191 350 6858, 8899074151, E-mail : info@prevestdenpro.com, Web : www.prevestdenpro.com



MATERIAL SAFETY DATA SHEET

Dat	e Issue 27.09.2022	Version Number 0	Review date -
	None known		
10.2.	Chemical Stability		
	Stable if handled and stored as directed.		
10.3.	Thermal decomposition/Conditions to avoid		
	Avoid heat, light and sources of contamination.		
10.4.	Possibility of hazardous reactions/Conditions to	o avoid	
	Heat, light, sources of contamination or inhibit pressure. Closed containers may rupture or exp		
10.5.	Incompatible materials		
	Reducing and oxidizing agents, peroxides and a	mines.	
10.6.	Hazardous decomposition products		
	Thermal decomposition may release acrid smol	ke or fumes, carbon and nitrogen oxi	des.
SE	CTION 11: TOXICOLOGICAL INFORMATION		

11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - general	Avoid release to the environment.
Acute aquatic toxicity	Not classified
Chronic aquatic toxicity	Harmful to aquatic life with long lasting effects.

Prevest Denpro Limited, CIN: L85199JK1999PLC001969, Registered Office & Factory: Unit II, Export Promotion Industrial Park (EPIP), Bari Brahmana, Jammu (J&K)-181133,India. Phone : + 0191 350 6858, 8899074151, E-mail : info@prevestdenpro.com, Web : www.prevestdenpro.com



MATERIAL SAFETY DATA SHEET

Date Issue 27.09.2022	Version Number 0	Review date -
 12.1. <u>Persistence and degradability</u> No additional information available 12.2. <u>Bioaccumulative potential</u> No additional information available 		
12.3. <u>Mobility in Soil</u> No additional information available 12.4. <u>Results of PBT and vPvB assessment</u> No additional information available		
12.5. Other adverse effects Additional Information	No additional information available	
SECTION 13: DISPOSAL CONSIDERATIONS		

13.1. Waste treatment methods

Disposal recommendations

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

SECTION 14: TRANSPORT INFORMATION

Land transport (ADG): NOT REGULATED

Air transport (ICAO-IATA / DGR): NOT REGULATED

Sea transport (IMDG-Code): NOT REGULATED

Other applicable information

No dangerous good in sense of these transport regulations.

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labeling information included in section 2:
- Particular provisions : No data available

SECTION 16: OTHER INFORMATION

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification Classification procedure

Prevest Denpro Limited, CIN: L85199JK1999PLC001969, Registered Office & Factory: Unit II, Export Promotion Industrial Park (EPIP), Bari Brahmana, Jammu (J&K)-181133,India. Phone : + 0191 350 6858, 8899074151, E-mail : info@prevestdenpro.com, Web : www.prevestdenpro.com



MATERIAL SAFETY DATA SHEET

Date Issue 27.09.2022

Version Number 0

Review date -

Skin Sens. 1B; H317	Calculation method
Aquatic Chronic 2; H411	

Note: Not all of the following are necessarily contained in this Safety Data Sheet:

Skin Sen. Skin Sensitisation.

Skin	Can be absorbed through skin.
Skin Irri.	Skin Irritation.
Eye Irri.	Eye Irritation.

H and EUH statements (number and full text)

H411	Toxic to aquatic life with long lasting effects.
H317	May cause an allergic skin reaction.

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

H413 May cause long lasting harmful effects to aquatic life.

- **Department issuing MSDS**: Regulatory affairs
- SDS Issue date: 27.09.2022
- Contact: research@prevestdenpro.com

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

Prevest Denpro Limited, CIN: L85199JK1999PLC001969, Registered Office & Factory: Unit II, Export Promotion Industrial Park (EPIP), Bari Brahmana, Jammu (J&K)-181133,India. Phone: + 0191 350 6858, 8899074151, E-mail : info@prevestdenpro.com, Web : www.prevestdenpro.com