

MATERIAL SAFETY DATA SHEET

Issue Date 18.10.2022

Version Number 0

Review date

SECTION 1 : PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Prevest Model
Intended use:	3D printing resin for fabrication of dental models
Company Name:	Prevest Denpro Limited
Address:	Unit II, Export Promotion Industrial Park (EPIP), Bari Brahmana, Jammu (J&K)-181133 India
Tel:	0191 3506858 / 8899074151
Fax No:	+91-1923-222774
Email:	customercare@prevestdenpro.com
Web:	www.prevestdenpro.com
Emergency	
Contact No:	+91 8899074151

SECTION 2 : HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008 [CLP]

Skin Sens.	Cat. 1	H317
Aquatic Chronic.	Cat. 4	H413

Adverse physicochemical, human health and environmental effects No additional information available

2.2. Label elements

Hazard statements:

H411 Toxic to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

Precautionary statements:

P264: Wash skin thoroughly after handling

- P270: Do not eat, drink or smoke when using this product.
- P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P363 Wash contaminated clothing before reuse.

P273: Avoid release to the environment.

P301+312: IF SWALLOWED: Call a poison centre or doctor/physician if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present, and easy to do. Continue rinsing.

P310: Immediately call a poison centre or doctor/physician.

P314: Get medical advice/attention if you feel unwell.

Prevest Denpro Limited, CIN: L85199JK1999PLC001969, Registered Office & Factory: Unit II, Export Promotion Industrial Park (EPIP), Bari Brahmana, Jammu (J&K)-181133,India. Phone: + 0191 350 6858, 8899074151, E-mail : info@prevestdenpro.com, Web : www.prevestdenpro.com 1



MATERIAL SAFETY DATA SHEET

Issue Date 18.10.2022

Version Number 0

Review date

P330: Rinse mouth.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P362+364: Take off contaminated clothing and wash it before use.

P501: Dispose of contents/container to an approved waste disposal plant.

2.3. Other hazards

No additional information available

SECTION 3 : COMPOSITION/ INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable.

3.2. Mixtures

COMPONENTS	C.A.S.	% by Wt
Methacylate	-	(trade secret*)
Photo initiators		(trade secret*)
Pigments	-	< 1
		(trade secret*)

SECTION 4: FIRST AID MEASURES

4.1. <u>Description of first aid measures</u>

After inhalation

Move the victim to fresh air. Put the victim at rest and keep warm.

After contact with the skin

After contact with the skin, wash immediately with water and soap.

After contact with the eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Call a physician immediately.

SECTION 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO₂).

Prevest Denpro Limited, CIN: L85199JK1999PLC001969, Registered Office & Factory: Unit II, Export Promotion Industrial Park (EPIP), Bari Brahmana, Jammu (J&K)-181133,India. Phone: + 0191 350 6858, 8899074151, E-mail : info@prevestdenpro.com, Web : www.prevestdenpro.com



MATERIAL SAFETY DATA SHEET

Issue Date 18.10.2022

Version Number 0

Review date

Unsuitable extinguishing media

High power water jet.

5.2. <u>Special hazards arising from the substance or mixture</u> COx, NOx.

SECTION 6: ACCIDENT RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing. Provide adequate ventilation.

- 6.2. <u>Environmental precautions</u> Do not allow to enter into surface water or drains.
- 6.3. Methods and material for containment and cleaning up

Take up mechanically.

SECTION 7: HANDLING AND STORAGE

7.1. <u>Precautions for safe handling</u>

Advice on safe handling

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the container tightly closed in a cool, well-ventilated place.

Store only in original container.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

8.1. Exposure Controls

Ventilation Controls

Ensure adequate ventilation.

Respiratory Protection

Respirators are generally not needed under normal conditions of use. If this material is handled at elevated temperature, under mist forming conditions or in case of accidental release of large quantities of product use a full-face respirator or respirator cartridges as a backup to engineering controls.

Protective Gloves

Wear impervious gloves (nitrile or neoprene) for routine handling.

Eye and Face Protection: Chemical splash goggles or a face shield is recommended during operations where splashing could occur.

Prevest Denpro Limited, CIN: L85199JK1999PLC001969, Registered Office & Factory: Unit II, Export Promotion Industrial Park (EPIP), Bari Brahmana, Jammu (J&K)-181133,India. Phone : + 0191 350 6858, 8899074151, E-mail : info@prevestdenpro.com, Web : www.prevestdenpro.com



MATERIAL SAFETY DATA SHEET

Issue Date 18.10.2022

Version Number 0

Review date

Skin Protection

Avoid all skin contact. Depending on the conditions of use, cover as much of the exposed skin area as possible by wearing gloves, aprons, long pants, and long sleeved shirts.

Other Controls

For operations where contact can occur a safety shower and eye wash facility should be available. Always use good personal hygiene and housekeeping practices. Wash hands thoroughly after handling.

Environmental Exposure Controls

Keep product from waterways and watersheds. This substance is not readily biodegradable and not dangerous for the environment. Avoid release into the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	Color Liquid
Color	Colored, or having an intentionally added pigmented color
Odor	Fruit, ester-like odor
Odor Threshold	N/D
pH value at 20°C (68°F)	N/D
Change in condition	
Melting Point/Melting Range	N/D
Flash point	N/D
Flammability (solid, gaseous)	N/D
Decomposition temperature	N/D
Auto igniting	N/D
Danger of explosion	N/D
Explosion limits	N/D
Lower	N/D
Upper	N/D
Vapour Pressure at 20°C (68°F):	N/D
Vapour Density	N/D
Evaporation rate	N/D
Miscibility with Water	Nearly Insoluble in Water
Partition coefficient (n-octanol/water)	N/D
Solvent content	N/D
Viscosity, dynamic	500-600 M.P.a (25°C)
Organic solvents	N/D
Water	N/D
Solids content	N/D

Prevest Denpro Limited, CIN: L85199JK1999PLC001969, Registered Office & Factory: Unit II, Export Promotion Industrial Park (EPIP), Bari Brahmana, Jammu (J&K)-181133,India. Phone : + 0191 350 6858, 8899074151, E-mail : info@prevestdenpro.com, Web : www.prevestdenpro.com



MATERIAL SAFETY DATA SHEET

Issue Date 18.10.2022

Version Number 0

Review date -

SECTION 10: STABILITY AND REACTIVITY

10.1. <u>Reactivity</u>

None known

- 10.2. <u>Chemical Stability</u> Stable if handled and stored as directed.
- 10.3. <u>Thermal decomposition/Conditions to avoid</u>
 - Avoid heat, light and sources of contamination.
- 10.4. Possibility of hazardous reactions/Conditions to avoid

Heat, light, sources of contamination or inhibitor depletion may cause spontaneous polymerization generating heat and pressure. Closed containers may rupture or explode during run away polymerization.

10.5. <u>Incompatible materials</u>

Reducing and oxidizing agents, peroxides and amines.

10.6. <u>Hazardous decomposition products</u> Thermal decomposition may release acrid smoke or fumes, carbon and nitrogen oxides

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - general

Avoid release to the environment.

Prevest Denpro Limited, CIN: L85199JK1999PLC001969, Registered Office & Factory: Unit II, Export Promotion Industrial Park (EPIP), Bari Brahmana, Jammu (J&K)-181133,India. Phone : + 0191 350 6858, 8899074151, E-mail : info@prevestdenpro.com, Web : www.prevestdenpro.com



MATERIAL SAFETY DATA SHEET

Issue Date 18.10.2022	Version Number 0	Review date -
Acute aquatic toxicity Chronic aquatic toxicity	Not classified Harmful to aquatic life with long lasting effects.	
12.1. Persistence and degradability		
No additional information available		
12.2. Bioaccumulative potential		
No additional information available		
12.3. Mobility in Soil		
No additional information available		
12.4. Results of PBT and vPvB assessment		
No additional information available		
12.5. <u>Other adverse effects</u> Additional Information	No additional information available	

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal recommendations

Disposal according to official regulations.

SECTION 14: TRANSPORT INFORMATION

Land transport (ADG): NOT REGULATED

Air transport (ICAO-IATA / DGR): NOT REGULATED

Sea transport (IMDG-Code): NOT REGULATED

Other applicable information

No dangerous good in sense of these transport regulations

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labeling information included in section 2:
- Particular provisions : No data available

Prevest Denpro Limited, CIN: L85199JK1999PLC001969, Registered Office & Factory: Unit II, Export Promotion Industrial Park (EPIP), Bari Brahmana, Jammu (J&K)-181133,India. Phone : + 0191 350 6858, 8899074151, E-mail : info@prevestdenpro.com, Web : www.prevestdenpro.com 6



MATERIAL SAFETY DATA SHEET

Issue Date 18.10.2022

Version Number 0

Review date

SECTION 16: OTHER INFORMATION

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1B; H317	Calculation method
Aquatic Chronic 2; H411	

Legend

Note: Not all of the following are necessarily contained in this Safety Data Sheet:

Skin Sen.Skin Sensitisation.Skin Irri.Skin Irritation.Eye Irri.Eye Irritation.

Relevant H and EUH statements (number and full text)

H411	Toxic to aquatic life with long lasting effects.
H317	May cause an allergic skin reaction.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H413	May cause long lasting harmful effects to aquatic life.

- **Department issuing MSDS**: Regulatory affairs
- SDS Issue date: 18.10.2022
- Contact: research@prevestdenpro.com

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

Prevest Denpro Limited, CIN: L85199JK1999PLC001969, Registered Office & Factory: Unit II, Export Promotion Industrial Park (EPIP), Bari Brahmana, Jammu (J&K)-181133,India. Phone: + 0191 350 6858, 8899074151, E-mail : info@prevestdenpro.com, Web : www.prevestdenpro.com 7